



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/798,874	03/10/2004	Glenn F. Evans	3382-67148	6617
26119 7590 11/28/2007 KLARQUIST SPARKMAN LLP 121 S.W. SALMON STREET SUITE 1600 PORTLAND, OR 97204				
			EXAMINER AMIN, JWALANT B	
			ART UNIT 2628	PAPER NUMBER
			MAIL DATE 11/28/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	Application No. 10/798,874	Applicant(s) EVANS ET AL.	
	Examiner Jwalant Amin	Art Unit 2628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 05 September 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-4, 35-41, 44 and 46-53 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-4, 35-41, 44 and 46-53 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments with respect to claim 1-4, 35-41, 44 and 46 have been considered but are moot in view of the new ground(s) of rejection.
2. Regarding claims 1-3, 35, 39-41 and 46, the applicant argues that Eid, Denk and Motorola do not teach "... converting the n-bit representation to a lower-precision representation by assigning zero values to one or more least significant bits in the fractional component while the integer component is unchanged" (see applicant's remarks on pg. 7-8). The applicant further argues that "... combination of Motorola with Eid and Denk would actually lead to clearing memory of data described in Eid and Denk" (see pg. 8, paragraph 1 last two lines).

However, the examiner interprets that Eid teaches the n-bit representation (16 bit integer) is convertible (shifted) to a lower-precision representation (10 bit value) by assigning zero values to one or more least significant bits in the fractional component [(0023); shifting corresponds to assigning zero values).

Eid discloses the claimed limitations as stated above, but does not explicitly teach that the most significant byte forms an integer component and the least significant byte forms a fractional component. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to select the numbers 'n' and 'k' such that 'n' most significant bits would be same as the most significant byte and 'k' least significant bits would be same as the least significant byte so as to make the '8' most significant bits as the integer component and the '8' least significant bits as the

fractional component because such a representation could also be used in the systems with 16-bit processors by using both the integer and fractional component of the representation and with 8-bit processors by using just the integer component of the representation.

Eid teaches to shift a 16-bit integer by 6 bits to obtain a 10-bit integer ([0023]; shift operation could involve assigning zero values). However, Eid does not explicitly teach that the integer component represented by the most significant byte is unchanged. Denk teaches to convert a real-valued, fixed point two's complement input signal represented by  $n+a$  bits in  $n.a$  format, to real-valued, fixed point two's complement binary reduced precision output signal represented by  $n+b$  bits in  $n.b$  format, where  $a-b$  bits are designated as the loss portion of the rounding operand ([0082]; Denk teaches to convert from a higher precision representation to a lower precision representation where the integer component of the signal value is unchanged, represented by  $n$  bits). Therefore, it would have been obvious to one of ordinary skill in the art at the time of present invention to have the integer component comprising  $n$  digits remain unchanged as taught by Denk and use it into the method of Eid because the most significant  $n$  digits of the higher precision representation  $n+a$  constitute the precision portion of the rounding operand, with the remaining  $a$  digits being the loss portion ([0057]).

The combination of Eid and Denk discloses shifting and rounding operations, but they do not explicitly teach to assign zero values to one or more least significant bits in the fractional component while the integer component is unchanged. However,

Motorola's M68000 Programmer's Reference Manual teaches to use CLR command to clear the destination to all zero (page B-35; using CLR command, the least significant byte of the higher precision representation could be assigned zero values and converted to the lower precision representation; clearing the data and assigning zero values as suggested by Motorola is another method to assign zero values besides shifting and rounding operations). Therefore, it would have been obvious to one of ordinary skill in the art at the time of present invention to assign zero values to the least significant byte of the higher precision representation as taught by Motorola and used it in the method of Eid and Denk because the lower precision representation is still represented as 16 bits which could be very useful as most of the systems have 8 bits or multiple of 8 bits processors.

3. Regarding claims 4 and 36-38 the applicant argues that Lundberg (claim 4), FOURCC.org YUV pixel formats document (claims 38 and 44), and Reitmeier (claims 36, 37, 42 and 43) do not respectively teach or suggest "the n-bit representation is convertible to a lower-precision representation by assigning zero values to one or more significant bits in the fractional component while the integer component is unchanged" (see last four lines of pg. 8, pg. 9 paragraph 3 lines 5-8, pg. 10 lines 3-5, of applicant's remarks).

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir.

1986). The above limitation is taught by the combination of Eid, Denk and Motorola in the independent claims 1 and 40.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-3, 5, 35, 39-41 and 45-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eid et al. (US Pub. No.: 2004/0190771; hereinafter referred to as Eid), in view of Denk et al. (US Pub. No.: 2001/0025292; hereinafter referred to as Denk), and further in view of Motorola's M68000 Programmer's Reference Manual ("M68000 8-/16-/32-Bit Microprocessors: Programmer's Reference Manual", 1986, fifth edition, page B-35, ISBN: 0-13-541491-1, Publication: Prentice-Hall; hereinafter referred to as Motorola).

6. Regarding claim 1, Eid teaches a method of converting video data for a video image (motion picture) to a lower-precision representation for lower-precision processing of the video data, the method comprising receiving chroma and luma information for a pixel in the video image in an n-bit representation (representation uses m bits), the n-bit representation comprising a 16-bit fixed-point (this representation uses 16 bits; a fixed point integer color component) block of data per channel ([0012], [0023]; Y(2.14), C(2.14) and alpha(2.14) are all 16 bit fixed-point representation per channel)

for the pixel, where the most significant byte in the 16-bit unit of data is an integer component (2-bit integer part; n most significant bits), where the least significant byte in the 16-bit unit of data is a fractional component (14 bit fractional part; k least significant bits) ([0001], [0005], [0006], [0007] last four lines); converting (shifted) the n-bit representation (16 bit integer) to a lower-precision representation (10 bit value) by assigning zero values to one or more least significant bits in the fractional component [(0023); shifting corresponds to assigning zero values), and outputting a result of the converting (fig. 2).

Eid discloses all of the claimed limitations as stated above, but does not explicitly teach that the most significant byte forms an integer component and the least significant byte forms a fractional component. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to select the numbers 'n' and 'k' such that 'n' most significant bits would be same as the most significant byte and 'k' least significant bits would be same as the least significant byte so as to make the '8' most significant bits as the integer component and the '8' least significant bits as the fractional component because such a representation could also be used in the systems with 16-bit processors by using both the integer and fractional component of the representation and with 8-bit processors by using just the integer component of the representation.

Eid teaches to shift a 16-bit integer by 6 bits to obtain a 10-bit integer ([0023]; shift operation could involve assigning zero values). However, Eid does not explicitly teach that the integer component represented by the most significant byte is

unchanged. Denk teaches to convert a real-valued, fixed point two's complement input signal represented by  $n+a$  bits in  $n.a$  format, to real-valued, fixed point two's complement binary reduced precision output signal represented by  $n+b$  bits in  $n.b$  format, where  $a-b$  bits are designated as the loss portion of the rounding operand ([0082]; Denk teaches to convert from a higher precision representation to a lower precision representation where the integer component of the signal value is unchanged, represented by  $n$  bits). Therefore, it would have been obvious to one of ordinary skill in the art at the time of present invention to have the integer component comprising  $n$  digits remain unchanged as taught by Denk and use it into the method of Eid because the most significant  $n$  digits of the higher precision representation  $n+a$  constitute the precision portion of the rounding operand, with the remaining  $a$  digits being the loss portion ([0057]).

The combination of Eid and Denk discloses shifting and rounding operations, but they do not explicitly teach to assign zero values to one or more least significant bits in the fractional component while the integer component is unchanged. However, Motorola's M68000 Programmer's Reference Manual teaches to use CLR command to clear the destination to all zero (page B-35; using CLR command, the least significant byte of the higher precision representation could be assigned zero values and converted to the lower precision representation; it should be noted that clearing the data and assigning zero values as suggested by Motorola is another method to assign zero values besides shifting and rounding operations). Therefore, it would have been obvious to one of ordinary skill in the art at the time of present invention to assign zero values to



the least significant byte of the higher precision representation as taught by Motorola and used it in the method of Eid and Denk because the lower precision representation is still represented as 16 bits which could be very useful as most of the systems have 8 bits or multiple of 8 bits processors.

7. Regarding claim 2, Eid teaches the n-bit representation is a 16-bit representation and the lower-precision representation is a 10-bit representation ([0023] lines 4-6; 16-bit integer corresponds to n-bit representation; 10-bit value corresponds to lower-precision representation).

8. Regarding claim 3, Eid teaches converting the n-bit representation to an (n-m)-bit representation by assigning zero values to the m least-significant bits in the fractional component ([0023] lines 4-6; 16-bit integer corresponds to n-bit representation; 10-bit value corresponds to (n-m)-bit representation; shifting corresponds to assigning zero values; shifted by 6 bits corresponds to assigning zero values to m least significant bits; the 16-bit ... to obtain a 10-bit value corresponds to converting the n-bit representation to an (n-m)-bit representation by assigning zero values to the m least-significant bits in the least-significant byte).

9. Regarding claim 35, Eid teaches the n-bit representation is a 16-bit representation, and the (n-m)-bit representation is a 10-bit representation ([0023] lines 4-6; 16-bit integer corresponds to n-bit representation; 10-bit value corresponds to (n-m)-bit representation).

10. Regarding claim 39, Eid teaches one or more alpha values are associated with the video image ([0001], [0023] lines 6-7; values for alpha components corresponds to

one or more alpha values; values for alpha ... 16-bit format corresponds to one or more alpha values are associated with the video image; motion picture data/image data corresponds to video image).

11. Regarding claim 40, Eid teaches a computer system ([0025] lines 1-3; general purpose computer system corresponds to computer system) comprising means for receiving (memory system), means for converting and outputting (microprocessor / multiprocessor computer system) ([0001], [0005] line 4-5, [0028] lines 5-7, [0029] lines 7-11). Please refer to rejection statements of claim 1 for further arguments regarding rejection of claim 40.

12. Regarding claim 41, the statements presented above, with respect to claim 2 and claim 40, are incorporated herein.

13. Regarding claim 46, Eid teaches the computer system further comprising means for displaying the video image using the lower-precision representation ([0025] lines 3-5; output device that displays corresponds to a display).

14. Regarding claim 47, Eid teaches the n-bit representation and the lower-precision representation are most-significant-bit justified ([0020-0023]).

15. Regarding claim 48, Eid teaches the chroma information and the luma information are in a YUV color space ([0001], [0014]; Eid teaches that the components of a color pixel represents luminance and chrominance). The examiner takes an official notice of the fact that it was known to one of ordinary skill in art that luminance and chrominance of a pixel can be represented in a YUV color space. Therefore, it would have been obvious to one of ordinary skill in art at the time of present invention to use a

YUV color space to represent the luminance and chrominance information because video or motion picture data is best stored using YUV color space.

16. Regarding claim 49, the statements presented above, with respect to claim 1 and claim 47, are incorporated herein.

17. Regarding claim 50, the statements presented above, with respect to claim 1 and claim 48, are incorporated herein.

18. Regarding claim 51, Eid teaches a computer-readable medium having computer-executable instructions stored thereon for performing the method of representing video data for a video data image ([0028]; a memory system stores data corresponds to a computer-readable medium having instructions stored; application program corresponds to instructions; an application program to be executed by the microprocessor corresponds to computer-executable instructions). Please refer to the rejection of claim 1 for further details.

19. Regarding claim 52, the statements presented above, with respect to claim 2 and claim 51, are incorporated herein.

20. Regarding claim 53, the statements presented above, with respect to claim 1 and claim 47, are incorporated herein.

21. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Eid, Denk and Motorola as applied to claim 1 above, and further in view of Lundberg et al. (US Pub. No.: 2004/0183949; hereinafter referred to as Lundberg).

22. Regarding claim 4, the combination of Eid, Denk and Motorola disclose all of the claimed limitations as stated above, except that they do not explicitly teach that chroma information is sampled at a resolution less than the luma information. However, Lundberg teaches the digital video in YCbCr format is chroma sub-sampled ([0073]; luminance values correspond to luma information; chrominance values/colour information corresponds to chroma information; lower spatial resolution corresponds to at a resolution less than; chroma is sub-sampled ... than the luminance corresponds to the chroma information is sampled at a resolution less than the luma information). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to sample the colour information at lower resolution than the luminance as taught by Lundberg and use such sampling into the method of Eid, Denk and Motorola because human eye is more sensitive to variations in luminance than in chrominance ([0078]).

23. Claims 38 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eid, Denk and Motorola, and further in view of FOURCC.Org - YUV pixel formats (FOURCC.org – YUV pixel formats, <http://www.fourcc.org/yuv.php>, pages 1-15; hereinafter referred to as FOURCC.org).

24. Regarding claims 38 and 44, the combination of Eid, Denk and Motorola disclose all of the claimed limitations as stated above, except that they do not explicitly teach that the n-bit representation and the (n-m)-bit representation are associated with different FOURCC codes. However, FOURCC.org teaches different FOURCC codes for packed YUV formats with different bits per pixel. The labels IYU1 and IYU2 represent 12-bit and

24-bit mode 2 of the IEEE 1394 Digital Camera 1.01 spec format with different FOURCC codes (page 2; IYU2 with 24 bits per pixel corresponds to n-bit representation; IYU2 with 12 bits per pixel corresponds to (n-m)-bit representation/lower-precision representation). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use different FOURCC codes with n-bit representation and (n-m)-bit representation as taught by FOURCC.Org and use it into the method of Eid, Denk and Motorola because using different codes would easily help to identify the different formats used for component representation by looking at the FOURCC codes.

25. Claims 36-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eid, Denk and Motorola, and further in view of Reitmeier et al. (US Pub. No.: 2003/0202589; hereinafter referred to as Reitmeier).

26. Regarding claims 36 and 37, the combination of Eid, Denk and Motorola disclose all of the claimed limitations as stated above, except that they do not teach that the method comprises processing data in the (n-m)-bit representation using (n-m)-bit hardware, and that the (n-m)-bit representation comprises a 10-bit processor. However, Reitmeier teaches to process 10-bit video signal by coupling it to a video processor ([0033] lines 6-8; 10-bit video signal corresponds to data in the (n-m)-bit representation; video processor corresponds to hardware; 10-bit video ... to a video processor for further processing corresponds to processing data using (n-m)-bit hardware). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention

was made to use 10-bit video processor as taught by Reitmeier into the method of Eid, Denk and Motorola because this would help to reduce the cost of processing data by utilizing all the bits available and not wasting any unused bits.

### ***Conclusion***

27. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

28. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jwalant Amin whose telephone number is 571-272-2455. The examiner can normally be reached on 9:30 a.m. - 6:00 p.m..

Application/Control Number:  
10/798,874  
Art Unit: 2628

Page 14

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Zimmerman can be reached on 571-272-7653. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

\*\*\* J.A. 11/24/07



MARK ZIMMERMAN  
SENIOR PATENT EXAMINER  
EBC CENTER 2600